

Devices and Soft Clients Portfolio

Dec 2020

Devices options for end user productivity

Alignment to organization outcomes

Opportunities from consumer space



Device and UI
innovation

Mobile app
choice and
distribution

New ways to
communicate
& collaborate
including M2M

Demands for better productivity



Optimizing
employee
productivity in
any location

Face-to-face:
expensive,
time
consuming,
risky

Mobility now
required for
majority of
workers

How we communicate is personal

We're not alike

Work Area



In-Office



Out-of-Office



At Home



Devices and the end user

Achieving productive, effective communication

- ▶ Simplified settings improve the user experience
- ▶ Superior voice quality alleviates demographic and language challenges
- ▶ Quality voice = positive brand
- ▶ Multi-media clients enable UC
- ▶ Make devices do more than voice



Devices and the end user

I have a story to tell but ...

Employees spend more time **trying** to collaborate, rather than **actually** collaborating



Complex user interface

Poor voice quality

Out of sync

Desk top overload

Poorly integrated apps and UC

Reduced mobility

Atos Unify Communications Devices

Deliver productive, end-user focused experiences

- ▶ Ergonomic design for ease-of-use
- ▶ Robust, enterprise-grade security
- ▶ HD voice across entire IP Portfolio
- ▶ Extreme mobility-enabling capabilities
- ▶ Interoperability to communicate beyond voice
- ▶ Room collaboration solutions for the digital workplace



Atos Unify Devices and Soft Clients

End to end communication ... it starts right here.

Desktop Devices

Award-winning design offering high definition voice and maximum connectivity options



Mobile Clients

The industry's most complete mobile UC suite supports the anywhere worker



Wireless Devices

On-site mobile voice communications – reliable, secure and cost-effective DECT and WLAN solutions



Soft Clients

Unified communication from your PC from with video and HD voice



Our desktop devices

What makes us unique



HD across the IP desk phone portfolio and UC soft client



Exclusive eco-friendly “The Blue Angel” award for energy efficiency



Near field, Bluetooth, beacons, UC integration and more ...



Atos Unify Wireless Devices

DECT

Atos Unify OpenScape DECT Phone SL5 Pro.

Highly portable, powerful device with smart phone appearance including extra-large display (2.4")

Multi-cell capability

Encrypted voice transmission



Atos Unify OpenScape DECT Phone S5

High quality audio in noisy environments

Excellent price to performance ratio

Hands-free mode

Headset port

Improved surface resistance

Vibra alarm (optional)



Atos Unify OpenStage WLAN M3 Family

Industrial-grade phones: IP65 protection, Ex-certification variants

Bluetooth-enabled for headset

Panic Button



WLAN

Atos Unify OpenStage WL4 Family

Integrate mobile users with your wireless LAN
WL4 Plus model for advanced security and messaging



Atos Unify DECT Cordless Handsets

At-A-Glance

Feature	OpenScape DECT Phone S5	OpenScape DECT Phone SL5	OpenStage M3 Family	Feature	OpenScape DECT Phone S5	OpenScape DECT Phone SL5	OpenStage M3 Family
Ex for hazardous gases Ex-classification II 2G EEx ib IIC T4	—	—	M3 Ex / Ex Plus	Ring tones and melodies	5 standard 21 polyphonic	5 standard 21 polyphonic	5 standard 15 polyphonic
Personal alarm device for personal security	—	—	M3 Plus / M3 Plus Ex	Vibration alarm	✓	✓	✓
Housing protection class	—	—	IP 65	Telephone book entries	Approx. 500	Approx. 500	Approx. 500
Interference suppression in (EN 6100-6-2)	—	—	✓	Headset ports			
Operating temperature	+5 °C to +45 °C	+5 °C to +45 °C	-10 °C to +55 °C	Corded:	2.5 mm	2.5 mm	2.5 mm (Ex - sealed)
Illuminated display	128 x 160 pixel 65k colors	240 x 320 pixel 65k colors	128 x 160 pixel 65k colors	Cordless:	Bluetooth V2.1	Bluetooth V2.1	Bluetooth V2.1
Display languages	27	27	26	PC interface			
Keypad illuminates including navigation area	✓	✓	✓	Corded:	Micro USB	Micro USB	Mini USB
Navigation key	5-way key with center click	5-way key with center click	5-way key with center click	Cordless:	Bluetooth	Bluetooth	Bluetooth
Hands-free key	✓	✓	✓	Handset lock	✓	✓	✓
MWI key	✓	✓	✓	Power supply	2 NiMH AAA	Li-ion battery pack, 750 mAh	Li-polymer pack, 930 mAh
Individual key programming	✓	✓	✓	Dimensions (L x W x D in mm)	151 x 49 x 26	130 x 51 x 19	154 x 56 x 26
				Talk / standby (hours)	Up to 12 / 165	Up to 12 / 250	Up to 17 / 200
				Weight	Approx. 125g	Approx. 100 g	Approx. 135 g

DECT and VoWLAN Comparison

DECT	VoWLAN	CUSTOMER CONSIDERATION
Optimized for voice; limited data capabilities	Supports voice and data on one network	VoWLAN requires careful deployment and capacity planning, DECT is relatively a simple installation
Dedicated frequency band at 1.9 GHz; marginal interference	802.11 networks in the 2.4 GHz band; 802.11a/h/n in the 5 GHz band	Dedicated frequencies help isolate interference
Mature and robust mechanisms for roaming, handover, encryption & security	Established protocols for roaming and handover; open security standards exist.	Security should not be sacrificed when roaming or when calls change access points or nodes to maintain communication
Quality of Service is uniform	Quality of Service influenced by network traffic, CAC capability	QoS guarantees are important to ensure a high standard of performance, particularly if network capacity is insufficient
Supports 120 non-overlapping channels	Supports 11 to 13 channels 19 channels in EU with 802.11a/n	More channels will ensure your signal and quality of communication are stable
Typical standby time is 150 hours, and typical talk time (battery) is 50 hours	Maximum standby time is up to 80 hours, and maximum talk time is up to 8 hours	Longer battery life means workers are productive longer, helps reduce dropped calls
Range of 300 meters	Range of 30-150 meters for 802.11 networks	An extended range for your phones will ensure less calls are dropped and will allow workers to be more flexible with mobility

Connect and collaborate while mobile

Don't add
mobile ...
Be mobile.


OpenScape Mobile Pro

- View and set presence status
- Single touch call set up or join
- Be reachable with a single number
- Handover “in progress” calls to other devices



OpenScape Web Collaboration

- Real-time engagement for mobile employees
- Small client that installs quickly, cost-effectively
- Be reachable from anywhere



Raising the bar for anywhere workers

Don't add
mobile ...
Be mobile.

OpenScape Mobility

- Mobile UC, SIP-based VoIP, IM/Chat and video functionality in a single mobile client
- Award-winning gesture-driven user experience
- Flexible devices choice (BYOD)
- Swipe active calls to any device, including home or hotel phones
- Highly secure using TLS/SRTP
- Public and enterprise app-store ready, for choice, flexibility and control

Presence



VoIP



Call Swipe



And more...

Stay connected when you're on the move Call Swipe - Seamlessly Move and Transition Calls

Start with
a VoIP call
from the
campus
WLAN



Swipe
the call
to the
desk
phone



Swipe
back to
the
cellular
network



Swipe
to the
home
phone



Atos Unify Desktop Phones

Awarded for energy efficiency

Exclusive eco-friendly “The Blue Angel” award for energy efficiency

- ▶ First IP phone manufacturer to be awarded the Blauer Engel environment certificate
- ▶ Unify phones significantly reduce the TCO:
 - ▶ 30% less power usage provided by energy-efficient VoIP phones
 - ▶ 50 % power reduction due to "Automatic Low Power Mode Activation"
 - ▶ Centrally controlled and intelligent switch-off and switch-on
- ▶ Unify guarantees the use of environmentally friendly materials



1

Devices Portfolio In Depth

Atos Unify Desktop Phones

Elegant design and user centric features

Vibrant conversations at the desktop with HD audio, point-to-point video, UC application access and interoperability.

HD voice for **crystal clear communications**

Stylish design with **ergonomic controls** and optional LCD color displays

User-centric interfaces **simplify access to key features and accessories**

Expanded interoperability including UC integration for a more powerful, intelligent desk phone

Our VoIP Desktop Phone Portfolio (SIP/HFA)

End to end desktop communications

**Atos Unify OpenScape
Desk Phone CP100**



The desktop device for cost-effective entry-level scenarios for enterprises with basic requirements and Cloud installations

**Atos Unify OpenScape
Desk Phone
CP200 / CP205**



Feature rich desk top devices with superior audio quality. Ideal for users needing UC/ CTI support

**Atos Unify OpenScape
Desk Phone CP400**



Mid-tier device with a larger display, numerous programmable keys and Circuit integration

**Atos Unify OpenScape
Desk Phone
CP600 / CP600E**



Power device with color display choice and interoperability options. Ideal for collaborative workplaces.

**Atos Unify OpenScape
Desk Phone CP700**



Expanded interoperability, the power of simplicity as well as the high-quality audio you expect from our devices.

**Atos Unify OpenScape
Desk Phone CP700X**



Same powerful capabilities as the CP700 plus integrated WIFI connectivity, expanded key module support and an elegant metal finish.

Our VoIP Desktop Phone Portfolio

End to end desktop communications

	CP100	CP200 / CP205	CP400	CP600 / CP600E	CP700 / CP700X
Housing Color	Black	Black	Black	Black	CP700: Black CP700X: Black, Metallic Trim
Display	3 line monochrome	2 line monochrome	240*120 pixel greyscale Backlight & Tilttable	480*272 pixel color/greyscale TFT Backlight & Tilttable	800*480 pixel Color 6 line TFT Backlight & Tilttable
Keys	2 fixed feature keys 3 programmable keys	8 fixed feature keys 4 progr. keys	16 progr. keys 4 fixed feature keys 4 soft keys	4 fixed feature keys 5 soft keys	12 free programmable 7 fixed function keys
Hands-free	Yes	Yes	Yes	Yes	Yes
Headset	-	Yes	Yes	Yes	Yes
Bluetooth	-	-	-	CP600: Yes	Yes
WIFI	-	-	-	-	CP700: No CP700X: Yes
Key Module	-	-	Yes	CP600: Max 4 CP600E: Max 2	CP700: Max 2 CP700X: Max 4
Wall mount	Yes	Yes	-	Yes	Yes
Ethernet Switch	10/100 Mbit/s	10/100 Mbit/s Gigabit (CP205)	Gigabit	Gigabit	Gigabit
PoE Class	Class 1	Class 1	Class 2	Class 2	Class 2

Our TDM Desktop Phone Portfolio

End to end desktop communications

OpenStage 10 T



High quality audio ideal for mass deployments in TDM environments

OpenStage 15 T



Exceptional voice quality, feature set and 2-line display. Ideal for entry-level mass deployments

OpenStage CP200T



Feature rich, modern desk top device with superior audio quality. Ideal for users needing CTI-support.

OpenStage 30 T



Vast array of configurable keys and expansion modules for outbound calling specialists

OpenStage CP400T



Larger display, key module options, programmable. Great for team environments.

OpenStage 40 T



Large display and profile mobility, ideal for teams or call centers

OpenStage 60 T



Vivid LCD display, with rich features and apps for power users & managers

Our TDM Desktop Phone Portfolio

End to end desktop communications

	OpenStage 10 T	OpenStage 15 T	OpenScape CP200T	OpenStage 30 T	OpenScape CP400T	OpenStage 40 T	OpenStage 60 T
Housing Color	Ice blue / Lava	Ice blue / Lava	Black	Ice blue / Lava	Black	Ice blue / Lava	Ice blue / Lava
Display	-	2 line monochrome	2 lines monochrome 192*48 pixel	2 line monochrome	3.7" Monochrome 240*120 pixel," LED backlight Tilttable	6 line, 240*128 monochrome Backlit & Tilttable	320x240 Color TFT Backlit & Tilttable
Keys	3 progr. keys Speaker Key +/- Volume control	8 progr. keys 3 fixed feature keys +/- Volume control	8 fixed feature keys 4 progr. keys	8 progr. Keys 8 fixed feature keys +/- Volume control	5 fixed feature keys 4 context sensitive soft keys 16 progr. keys	6 progr. keys 8 fixed feature keys +/- Volume control	8 progr. keys 12 fixed feature keys Touchwheel Volume slider
Hands-free	No	Yes	Yes	Yes	Yes	Yes	Yes
Headset	-	-	Yes	Yes	Yes	Yes	Yes
Bluetooth	-	-	-	-	-	-	Yes
Key Module	-	Yes	-	Yes	Yes, KM400 (2) <small>from 2nd KM400 with ocal power supply</small>	Yes	Yes
Wall mountable	Yes	Yes	Yes	Yes	-	Yes	-

Atos Unify OpenStage 10 T

An ideal entry-level phone, delivering the excellent voice quality and elegant design users expect from Unify

- ▶ 12 button dial pad
- ▶ Speaker key with LED
- ▶ 3 free programmable keys with LEDs
- ▶ Plus / minus keys to control volume
- ▶ Open listening
- ▶ 3rd party CTI
- ▶ No software download



Atos Unify OpenStage 15 T

Exceptional performance in an affordable, easy-to-use device for a wide variety of users

- ▶ Display, 2x24 characters
- ▶ 12 key dial pad and 8 free programmable keys
- ▶ Speaker, messages and menu key
- ▶ Full-duplex hands-free talking
- ▶ Key Module 15 support



Atos Unify OpenScape Desk Phone CP100

The desktop device for cost-effective entry-level scenarios for enterprises with basic requirements and Cloud installations

- ▶ Graphical display, 3 lines (162*48 pixel), monochrome
- ▶ Notification LED (red)
- ▶ 3 free programmable feature keys with status indication on the LCD display
Pre-programmed: Call Log, Forward, Redial
- ▶ 2 fixed feature keys, Settings, Messages
- ▶ 3-way navigator, plus OK-key
- ▶ 2 audio keys (Mute/Speaker)
- ▶ Volume control +/-
- ▶ Open listening / Hands-free talking (Full-duplex)
- ▶ 10/100 Base-T Ethernet Switch
- ▶ IEEE 802.3af Power over Ethernet, class 1
- ▶ Wall mountable, wall mount kit is integrated in the stand



Atos Unify OpenScape Desk Phone CP200 / CP205

Evolution of the entry level desk top device with a feature rich, cost effective, end point with superior audio quality, ideal for many users with UC / CTI support

- ▶ Graphical display, 2 lines (192*48 pixel), monochrome
- ▶ Notification LED (red/green/amber)
- ▶ 4 free programmable feature keys with LED (red/green/amber)
Pre-programmed: Call Log, Directory, Forward, Redial
- ▶ 5 fixed feature keys, 3 with LED (red or green)
Hold, Transfer, Conference, Settings, Messages
- ▶ 4-way navigator, plus OK-key
- ▶ 3 audio keys (Mute/Speaker/Headset) with LED (red or green)
- ▶ Volume control +/-
- ▶ Open listening / Hands-free talking (Full-duplex)
- ▶ Headset port (DHSG/EHS)
- ▶ 10/100 Base-T Ethernet Switch
- ▶ IEEE 802.3af Power over Ethernet, class 1
- ▶ Wall mountable

CP205

- ▶ 10/100/1000 Base-T Ethernet Switch
- ▶ Energy Efficient Ethernet (IEEE 802.3az)



Atos Unify OpenScape Desk Phone CP200T

Entry level desk top device with a feature rich, cost effective, end point with superior audio quality, ideal for many users with CTI support

- ▶ Graphical display, 2 lines (192*48 pixel), monochrome
- ▶ Notification LED (red/green/amber)
- ▶ 4 free programmable feature keys with LED (green)
Pre-programmed: Call Log, Directory, Forward, Redial
- ▶ 5 fixed feature keys, 3 with LED (red or green)
Hold, Transfer, Conference, Settings, Messages
- ▶ 4-way navigator, plus OK-key
- ▶ 3 audio keys (Mute/Speaker/Headset) with LED (red or green)
- ▶ Volume control +/-
- ▶ Open listening / Hands-free talking (Full-duplex)
- ▶ Headset port (DHSB/EHS)
- ▶ Wall mountable



Atos Unify OpenStage 30 T

Ideal for specialists who frequently place outbound calls, OpenStage 30 features a large array of configurable function keys and expansion modules.

- ▶ 3 menu keys
- ▶ 8 free programmable keys
- ▶ 7 fixed function keys
- ▶ Volume keys (Loudspeaker/+/-)
- ▶ Keypad with 12 keys
- ▶ LCD 2 line graphic display
- ▶ Red LEDs for key signalling
- ▶ Various housing colors (ice blue, lava)
- ▶ Wall mountable



Atos Unify OpenStage 40 T

Customization and user profile mobility make this an ideal phone for desk sharers, temporary teams and call center staff.

- ▶ Tilttable 6-line monochrome backlit display
- ▶ Wall-mountable
- ▶ 12 button dial pad, 6 pre-set feature buttons
- ▶ 6 free programmable keys with LEDs
- ▶ Status LED & Message Waiting Indicator
- ▶ 5-way navigator with pushbuttons
- ▶ Full duplex speaker phone and headset jack



Atos Unify OpenScape Desk Phone CP400

Mid-tier device
with a larger
display,
numerous
programmable
keys and
optional key
module

- ▶ Tilttable graphical display, 3,7" (240*120 pixel), monochrome
- ▶ LED backlight (white), notification LED (red/green/amber)
- ▶ 4 context sensitive soft keys with LED (red/green/amber)
- ▶ 2 fixed feature keys (Menu/Out-of-office)
- ▶ 16 free programmable feature keys with LED (red/green/amber)
- ▶ 3 audio keys (Mute/Speaker/Headset) with LED (red or green)
- ▶ Open listening / Handsfree talking (Full-duplex)
- ▶ 4-way navigator, plus OK-key
- ▶ Volume control +/-
- ▶ Headset port (DHSG/EHS)
- ▶ Optional Circuit conversation integration
- ▶ 10/100/1000 Base-T Ethernet Switch
- ▶ IEEE 802.3az Energy Efficient Ethernet
- ▶ IEEE 802.3af Power over Ethernet, class 2
- ▶ Key Module 400 optional



Atos Unify OpenScape Desk Phone CP400T

Mid-tier device
with large
display,
numerous
programmable
keys and
optional key
module


- ▶ Tilttable graphical display, 3,7" (240*120 pixel), monochrome
- ▶ LED backlight (white), notification LED (red/green/amber)
- ▶ 4 context sensitive soft keys with LED (green)
- ▶ 2 fixed feature keys (Menu/Call Forwarding)
- ▶ 16 free programmable feature keys with LED (green)
- ▶ 4-way navigator, plus OK-key
- ▶ 3 audio keys (Mute/Speaker/Headset) with LED (red or green)
- ▶ Volume control +/-
- ▶ Open listening / Handsfree talking (Full-duplex)
- ▶ Headset port (DHSG/EHS)
- ▶ Up to 2 Key Module 400 optional (from second KM400 with local power supply)



Atos Unify OpenScape Desk Phone CP600 / CP600E

Ideal for the collaborative workplace with many interoperability capabilities and optional key module

- ▶ Tilttable graphical TFT display, 4.3" (480*272 pixel), color -CP600, monochrome - CP600E
- ▶ LED backlight (white)
- ▶ Notification LED (red/green/amber)
- ▶ 5 context sensitive soft keys with LED (red/green/amber)
- ▶ 2 fixed feature keys (Menu/Out-of-office)
- ▶ 3 audio keys (Mute/Speaker/Headset) with LED (red or green)
- ▶ 4-way navigator, plus OK-key
- ▶ Volume control +/-
- ▶ Open listening / Handsfree talking (Full-duplex)
- ▶ Headset port (DHSG/EHS)
- ▶ 10/100/1000 Base-T Ethernet Switch
- ▶ IEEE 802.3az Energy Efficient Ethernet
- ▶ IEEE 802.3af Power over Ethernet, class 2
- ▶ Bluetooth 2.1 BR/EDR and Bluetooth 4.1 LE (dual mode device) *
- ▶ NFC *; SD card Interface *
- ▶ Key Module 600 optional; Wall mountable



* CP600 only

Atos Unify OpenStage 60 T

Great customization
and profile mobility
make this the ideal
phone solution for
desk sharers,
temporary teams
and call center staff.

- ▶ Tiltable 5.7" color (QVGA) backlit display
- ▶ Status LED & Message Waiting Indicator
- ▶ 8 free programmable keys with LEDs and 9 pre-set buttons
- ▶ TouchGuide™ navigator and illuminated TouchSlider™ for volume adjustment
- ▶ Full duplex speaker phone plus headset jack
- ▶ Bluetooth and USB
- ▶ SIP: Videophone with USB webcam



Atos Unify OpenScape Desk Phone 700

User-friendly form, function and interface, the CP700 and CP700X bring combine powerful communication capabilities with a beautiful profile and housing design options

- ▶ Color graphical TFT display (800*480 pixel), 5"
- ▶ Notification LED (green, amber, red), front and rear view
- ▶ 6 permanent free programmable and 6 favorite keys with LED (green, amber, red)
- ▶ 7 fixed function keys
- ▶ 5-way navigation key
- ▶ 3 audio keys
- ▶ Bluetooth 5.0 support with 2 audio streams
- ▶ Open listening / Hands-free talking
- ▶ Passive RFID tag support
- ▶ NFC tag support
- ▶ 10/100/1000 MBit/s Ethernet
- ▶ IEEE 802.3af Power over Ethernet, class 2
- ▶ Maximum 2 Key Module 600 support
- ▶ Wall mountable

CP700X

- ▶ WIFI connectivity
- ▶ Maximum 2 Key Module 600 support
- ▶ Elegant metallic finishes on device housing



Atos Unify OpenScape DECT Phone SL5

Largest display yet slimmest and smallest DECT cordless handset in the portfolio, that doesn't compromise high end functionality, security or design

- ▶ Large 2.4" TFT color display with a modern user interface
- ▶ Bluetooth interface
- ▶ 27 display languages
- ▶ 3 acoustic profiles for quick changes between different environmental conditions
- ▶ High-quality handset with optimized housing surface that resists against aggressive substances
- ▶ Multi-cell capability with:
 - ▶ Roaming
 - ▶ Seamless connection handover during a call
 - ▶ Bearer handover in case of disturbances
 - ▶ Display message when leaving radio network
- ▶ Encrypted voice transmission
- ▶ Secure system logon

DECT



Atos Unify OpenScape DECT Phone S5

Extends Atos Unify's proven voice quality and feature-set to an elegant DECT cordless handset, a very competitive solution for those always on the move

- ▶ Superior audio quality in noisy environments
- ▶ Duplex hands-free speakerphone
- ▶ Vibration (silent) alarm
- ▶ Resistant handset surface against a variety of liquids (e.g. Disinfectants). Optimized for use in health care
- ▶ Illuminated graphical 65K color LCD display
- ▶ 27 display languages
- ▶ Telephone directory with up to 500 entries
- ▶ Easy battery replacement via separate battery compartment
- ▶ Talk time up to 12 hours, stand by up to 165 hours
- ▶ Bluetooth™, wired headset and PC connectivity
- ▶ Successor of the Gigaset S4 Professional

DECT



Atos Unify OpenStage M3 Family

Industry-leading
DECT voice
quality and
features in a
robust family of
phones for many
environments
including
industrial and
explosive

- ▶ 4 variants including explosive and advanced alarming
- ▶ IP65-certified housing, i.e. protection against water and dust
- ▶ Shock- and break-proof
- ▶ Modern, best in class user interface
- ▶ Bluetooth interface
- ▶ Excellent sound quality in support of noisy environments
- ▶ Standard connector for headsets
- ▶ Up to 17 hours talk time and up to 200 hours standby time

DECT



Atos Unify OpenStage WL4 Family

Enterprise-grade VoWLAN handset with personal alarm and messaging capability for superior voice quality, mobility, and security

- ▶ Simplified interface for easy feature access
- ▶ Powerful local features including rich directory, missed calls list, LDAP Access
- ▶ Integrated IP interfaces to HiPath/OpenStage systems
- ▶ Supported networks: IEEE 802.11 a/b/g/n
- ▶ Dynamic power output according to 802.11h
- ▶ Quality of Service (QoS)
- ▶ TFT color display
- ▶ Protection class IP44
- ▶ OpenStage WL4 Plus model available with advanced messaging & alarming capabilities: push button, man down and no movement

WLAN



Atos Unify supports vibrant collaboration with our complete family of IP, TDM, WLAN, DECT and soft client phones and our support for more collaborative conferencing experiences through high quality design, immersive experiences via AudioPresenceHD®, and our award-winning mobile solutions.

Our devices work the way you do.