



Circuit Meeting Room

Circuit Meeting Room is a convenient and easy to operate videoconferencing solution for meeting rooms of various sizes and configurations.

User friendly

Once installed, Circuit Meeting Room makes it possible for every user to quickly and successfully conduct audio/video conferences with multiple participants in the simplest way possible.

Compact solution

Circuit Meeting Room combines a speakerphone, a video camera and HD monitors into a compact solution for meeting and conference rooms of different size.

Integration in Circuit

For Circuit Meeting Room, complete integration in Circuit does not require any special knowledge or preparations. There is even no need for a remote control.



Advantage over other solutions

- Start meetings without the hassle of connecting personal technology (cables, plugs, adapters, software and drivers etc.)
- No need for cable handover or sending files among presenters
- Everyone can easily use dual wall screen configurations - independently of the device in use
- No privacy issues if remote party does screen share (no need to share your desktop screen with the wall screen)
- Screen layouts optimized for room application (selecting options independent of your desktop)
- Future-proof service + solution dedicated to conferencing capabilities

Technical data

Features	Description
Circuit Meeting Room	Fujitsu Q958 (Unify variant with pre-installed SW. Quick Installation Guide, EU power cord and safety manual included)
Circuit Packages	<ul style="list-style-type: none"> • Circuit Meeting Room package (per device) • Users with Team, Professional or Enterprise package
General	
Audio	Speakerphone (via USB connection)
Video	<ul style="list-style-type: none"> • Web or video camera (via USB connection) for input • Full-HD displays for video and screen share output • Users can select different layouts for video presentation
Screen share	Screen share of any Circuit conference participant can be presented
Circuit Meeting Room control	Activation and control via Circuit client (Desktop App, Web client, iOS and Android mobile client) - no remote control required
Circuit features	Circuit features like conference recording, screen share, joining external participant and more are available as usual
Hardware	
CPU	Intel Core i5-8500T
RAM	4 GB DDR4
Hard-disk memory	SSD 128 GB
Software	
	Pre-installed (OS and Circuit App)
Connectors	
USB	Connectors for video camera and speakerphone (2 x USB 2.0, 6 x USB 3.x)
Ethernet	1 x RJ45 (Gigabit Ethernet)
Power supply	Integrated power supply. An EU mains power cable is included in the delivery scope. A mains power cable for other countries must be ordered separately.
Monitor/display	2 x DisplayPort (DP). HDMI displays are possible by means of DP/HDMI adapter / cable.
Keyboard/mouse	No keyboard or mouse is required to use it. Circuit Meeting Room is operated in conferences through the Circuit Client.
Network	
LAN	Gigabit Ethernet
IP protocol	IPv4
DHCP	Yes (default)
Proxy	Manually configurable
QoS	Layer 3 configurable

Features	Description
SNMP	Version 3 for SNMP traps
Administration	
Configuration	<ul style="list-style-type: none"> • Device configuration via webpages • Wizard for initial setup
Software upgrades/updates	<ul style="list-style-type: none"> • Circuit App: Automatically update via Circuit cloud • Operating system: On request directly via Unify Software Supply Server
Miscellaneous	
Line voltage	100 V - 240 V 50 Hz - 60 Hz
VESA assembly	Yes
Anti-theft protection	Kensington lock
Dimensions (W x D x H)	185 x 190 x 57 mm
Additional information	https://wiki.unify.com/wiki/Circuit_Meeting_Room

